



## SAFETY DATA SHEET

Page 1 of 3

### Shredder Lubricant Spray

Revision 0  
Revision date 15-Aug-2006

#### 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY

**Product name** Shredder Lubricant Spray

**Company** Acco UK Limited  
Oxford House  
Oxford Road  
Aylesbury  
Bucks  
HP21 8SZ  
informationeurope@acco.com  
www.acco.co.uk

**Telephone** +44 (0)845 6031730

**Fax** +44 (0)845 6031731

#### 2. COMPOSITION / INFORMATION ON INGREDIENTS

##### Hazardous ingredients

	Conc.	CAS	EINECS	Symbols/Risk phrases
1,1,1,2-Tetrafluoroethane (1,1,1,2-Tetrafluoroethane (HFC 134a))	5 - 30%	811-97-2		

#### 3. HAZARDS IDENTIFICATION

**Main hazards** No Significant Hazard

**Other hazards** Pressurised container. Protect from sunlight and do not expose to temperatures exceeding 50 °C.

#### 4. FIRST AID MEASURES

**Skin contact** May cause irritation to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.

**Eye contact** May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.

**Inhalation** May cause irritation to mucous membranes. Move the exposed person to fresh air.

**Ingestion** May cause irritation to mucous membranes. DO NOT INDUCE VOMITING. Seek medical attention if irritation or symptoms persist.

#### 5. FIRE FIGHTING MEASURES

**Extinguishing media** Use extinguishing media appropriate to the surrounding fire conditions.

**Fire hazards** Burning produces irritating, toxic and obnoxious fumes.

**Protective equipment** Wear suitable respiratory equipment when necessary.

#### 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions** Ensure adequate ventilation of the working area. Evacuate personnel to a safe area.

**Environmental precautions** Do not allow product to enter drains. Prevent further spillage if safe.

# Shredder Lubricant Spray

Revision 0  
Revision date 15-Aug-2006

## 7. HANDLING AND STORAGE

<b>Handling</b>	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.
<b>Storage</b>	Keep in a cool, dry, well ventilated area. Direct sunlight. Store at temperatures below 50 °C.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Exposure limits

1,1,1,2-Tetrafluoroethane	WEL 8-hr limit ppm: 1000	WEL 8-hr limit mg/m3: 4240
(1,1,1,2-Tetrafluoroethane (HFC 134a))	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -

<b>Engineering measures</b>	Ensure adequate ventilation of the working area.
<b>Respiratory protection</b>	Wear: Suitable respiratory equipment.
<b>Hand protection</b>	Chemical resistant gloves (PVC)
<b>Eye protection</b>	In case of splashing, wear: Approved safety goggles.
<b>Protective equipment</b>	Wear protective clothing.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Description</b>	Gas.
<b>pH</b>	7
<b>Vapour pressure</b>	5.7 bar @ 20°C

## 10. STABILITY AND REACTIVITY

<b>Stability</b>	Stable under normal conditions.
<b>Conditions to avoid</b>	Heat, sparks and open flames.
<b>Materials to avoid</b>	Alkali metals.

## 11. TOXICOLOGICAL INFORMATION

<b>Acute toxicity</b>	No data is available on this product.
<b>Repeated or prolonged exposure</b>	Repeated or prolonged exposure may cause dermatitis.

## 12. ECOLOGICAL INFORMATION

<b>Ecotoxicity</b>	No data is available on this product.
--------------------	---------------------------------------

## 13. DISPOSAL CONSIDERATIONS

<b>General information</b>	Dispose of in compliance with all local and national regulations.
----------------------------	---

